


AOBF Flange Solid Lubricant Bushing




Material: Bronze with Graphite

Unit:mm

d	E7	D	r6	D ₁	t	L	Catalog No.	d	D	L
8		12		20		10	AOBF	8	12	10
						15				15
10	+0.040 +0.025	14	+0.034 +0.023	22	2	10		10	14	10
						12				12
						15				15
						17				17
						20				20
12		18		25		15		12	18	15
						20				20
						25				25
						30	30			
13		19		26		15	13	19	15	
						20			20	
14		20		27		15	14	20	15	
						20			20	
						25			25	
15	+0.050 +0.032	21		28	3	15	15	21	15	
						20			20	
						25			25	
						30			30	
						30			30	
16		22	+0.041 +0.028	29		15	16	22	15	
						18			18	
						20			20	
						23			23	
						25			25	
						30			30	
						35			35	
18		24		32		20	18	24	20	
						30			30	
						30			30	
20	+0.061 +0.040	30		40	5	15	20	30	15	
						20			20	
						25			25	
						30			30	
						35			35	
						40			40	

AOBF Flange Solid Lubricant Bushing

Unit:mm



d	E7	D	r6	D ₁	t	L	Catalog No.	d	D	L
25	+0.061 +0.040	35		45	5	15	AOBF	25	35	15
						20				20
						25				25
						30				30
						35				35
						40				40
						50				50
30		40		50		20		20		
						25		25		
						30		30		
						35		35		
						40		40		
						50		50		
						50		50		
35		45		60	20	20				
					25	25				
					30	30				
					35	35				
					40	40				
					50	50				
					50	50				
40	+0.075 +0.050	50		65	20	20				
					25	25				
					30	30				
					35	35				
					40	40				
					50	50				
					50	50				
45		55		70	30	30				
					35	35				
					40	40				
					50	50				
					60	60				
					60	60				
					60	60				
50		60		75	30	30				
					35	35				
					40	40				
					50	50				
					60	60				
					60	60				
					60	60				
55		65		80	40	40				
					60	60				
					60	60				
					60	60				
					60	60				
					60	60				
					60	60				
60	+0.090 +0.060	75	+0.062 +0.043	90	7.5	40	40			
						50	50			
						80	80			
						80	80			
						80	80			
						80	80			
						80	80			
70		85		105		50	50			
						80	80			
						80	80			
						80	80			
						80	80			
						80	80			
						80	80			
80		100	+0.073 +0.051	120	60	60				
					80	80				
					100	100				
					100	100				
					100	100				
					100	100				
					100	100				
90		110		130	10	60	60			
						80	80			
						80	80			
						80	80			
						80	80			
						80	80			
						80	80			
100	+0.107 +0.072	120	+0.076 +0.054	150		80	80			
						80	80			
						100	100			
						100	100			
						100	100			
						100	100			
						100	100			
120		140	+0.088 +0.063	170	80	80				
					80	80				
					100	100				
					100	100				
					100	100				
					100	100				
					100	100				